

FIG.2






FIG.3



10057876.012902

FIG.4



10057676-012902

FIG.5




FIG.6

ADDRESS FOR MAIL VIRUS
aaaaaaaa@fss.co.jp
abcdefghi@fss.co.jp
viry@fss.co.jp

FIG.7

RECEIVED DATE & TIME	SENDER	SIZE	TITLE	REPORT
MMDDhmmss	abc@fss.co.jp	1776	IMPORTANT NOTICE	"DONE"
MMDDhmmss	def@fss.co.jp	1789	AFFAIRS NOTICE	"NOT YET"

FIG.8

SENDER SUPPRESSION	CONDITION 1	SIZE SUPPRESSION	CONDITION 2	TITLE SUPPRESSION	DETECTION REPORT
'yes'	'or'	'or'	'or'	'yes'	'yes'

FIG.9

REPORT LEVEL	MAIL VIRUS INFORMATION	USER FOR LOG EXTRACTION	HISTORY PERIOD FOR LOG EXTRACTION	COMPRESSED INFECTED MAIL ATTACHMENT
1	'yes'	'all'	'5day'	'yes'
2	'yes'	'all'	'5day'	'no'
3	'yes'	'mailsendself'	'3day'	'no'
4	'yes'			'no'

FIG.10


REPORT-TO ADDRESS	REPORT LEVEL	NOTE
'sys@fss.co.jp'	1	'system manager'
'taro@tukuba.ne.jp'	2	'system manager (private)'
'Sys2@fss.co.jp'	3	'system 2nd manager'
'mailsendself'	4	'SENDER'

FIG.11

HEADER	MEANING
from:	SENDER MAIL ADDRESS
to:	RECEIVER MAIL ADDRESS
cc:	RECEIVER MAIL ADDRESS FOR CARBON COPY
reply - to:	RECEIVER MAIL ADDRESS FOR REPLY
return-path:	RECEIVER MAIL ADDRESS FOR ERROR MAIL
.....	.....



FIG.12



20021016.012902

FIG. 13

101